

L Number	Hits	Search Text	DB	Time stamp
-	49546	(TFT or TFTs or (thin adj film adj transistor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:23
-	28	((TFT or TFTs or (thin adj film adj transistor\$1)) and ((LDD or "lightly doped") with (sheet adj resistance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:24
-	968	((TFT or TFTs or (thin adj film adj transistor\$1)) and ((sheet adj resistance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 11:29
-	58	((TFT or TFTs or (thin adj film adj transistor\$1)) and ((photoconductive or (photo\$1induced) or (photo adj induced)) near3 current))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:52
-	49546	(TFT or TFTs or (thin adj film adj (transistor or transistors)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:08
-	57	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and ((LDD or "lightly doped") same (sheet adj resistance)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:50
-	404	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 16:11
-	1	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and ((photoconductive or (photo\$1induced) or (photo adj induced)) with current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 15:54
-	3	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and ((photoconductive or (photo\$1induced) or (photo adj induced)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 16:48
-	84	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and (off with current with ("lightly doped" or LDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:08
-	56	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and anodiz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 16:11
-	130	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and ((width or length) near3 ("lightly doped" or LDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 16:28

-	332	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD) and ((photoconductive or (photo\$induced) or (photo adj induced) or leak\$6 or off) with current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 16:50
-	49624	(TFT or TFTs or (thin adj film adj (transistor or transistors)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:14
-	22	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and backlight and (photo\$1current or photo\$1induced or photoconduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:25
-	117	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and backlight and (photo\$1current or photoelectr\$6 or photo\$1induced or photoconduct\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:17
-	171	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (backlight with luminance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:32
-	244	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (backlight with lumin\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:32
-	73	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (backlight with lumin\$6)) not (((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (backlight with luminance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:41
-	1724	(257/59, "72").ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:42
-	14454	(257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 11:55
-	351	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.) and (photoconductive or (photo\$1induced) or (photo adj induced) or photo\$1current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:03
-	10	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.) and (photoconductive or (photo\$1induced) or (photo adj induced) or photo\$1current)) and LDD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:09
-	18	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.) and (photoconductive or (photo\$1induced) or (photo adj induced) or photo\$1current)) and (lightly adj doped)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:11
-	0	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.) and (photoconductive or (photo\$1induced) or (photo adj induced) or photo\$1current)) and ((channel near3 width) with (channel with length)) and ("lightly doped" or LDD) near3 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:14

-	58	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) with (channel with length)) and (("lightly doped" or LDD) near3 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:47
-	66	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) same (channel with length)) and (("lightly doped" or LDD) near3 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:50
-	19	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) same (channel with length)) and ((channel near3 width) with prefer\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:55
-	14	("2819191" "4103297" "4438654" "5003356" "5643826" "5711824" "5834893" "5882761" "5891264" "5923962" "6056614" "6204081" "6218206" "6242290").PN.	USPAT	2003/05/01 12:55
-	23	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) with prefer\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 12:56
-	404	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:45
-	16	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) and (channel with width with length) and ("lightly doped" or LDD)) and (channel near3 width near5 prefer\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:10
-	57937	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:47
-	76	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD) near3 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:51
-	10	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD) near3 (width or length)) not (((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) same (channel with length)) and (("lightly doped" or LDD) near3 (width or length)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 13:48
-	273	((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:17
-	7	("5356824" "5604368" "5646058" "5773331" "5804848" "5899710" "6214670").PN.	USPAT	2003/05/01 14:14
-	434	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:18

-	161	((((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD))) not ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and ((channel near3 width) and (channel with length)) and (("lightly doped" or LDD)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:26
-	0	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (courrent with (photo\$9 or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:27
-	0	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (courrent with (photo\$1conduct\$9 or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:28
-	2722	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (current with (photo\$1conduct\$9 or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:42
-	618	((((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (current with (photo\$1conduct\$9 or light))) and ("lightly doped" or LDD or (high adj resist\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:01
-	938	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (((off or leak\$5) near3 current) with (photo or light))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:45
-	299	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (((off or leak\$5) near3 current) with (photo or light))) and ("lightly doped" or LDD or (high adj resist\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:03
-	1	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (backlight with (klux or lux))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:23
-	320	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.))) and (backlight with (brightness))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:46
-	0	"6180597" and width	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:46
-	7	"6180957" and width	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:44

-	0	"6532053" and LDD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:44
-	49656	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and (("lightly doped" or LDD or (low adj2 concentration)) near2 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:53
-	50885	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and (("lightly doped" or LDD or (low adj2 concentration)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:54
-	436	((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and (("lightly doped" or LDD or (low adj2 concentration))) and ("lightly doped" or LDD) near3 (width or length))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:57
-	149	((((TFT or TFTs or (thin adj film adj (transistor or transistors)))) or ((257/57-72.ccls. or 438/130-166.ccls. or (349/39-47,97, "137").ccls.)) and (("lightly doped" or LDD or (low adj2 concentration)))) and ("lightly doped" or LDD) near3 (width or length))) and (channel near2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 17:58